

# LITHEAUDIO<sup>®</sup>

ALL-IN-ONE WIRELESS AUDIO SYSTEMS



POWER IT. SYNC IT. PLAY IT.™

**CEILING SPEAKERS | SUBWOOFERS | GARDEN SPEAKERS | HOME CINEMA**

[www.litheaudio.com](http://www.litheaudio.com) | [sales@litheaudio.com](mailto:sales@litheaudio.com) | Tel : +44 (0) 1293 922 015



# LITHEAUDIO®

## DISCREET WIRELESS AUDIO SYSTEMS

### A PASSION FOR INNOVATION

This year we have released our new flagship Pro Series range and Wireless Micro Sub, the flagship range of Pro Series Ceiling Speakers and our Low Profile Passive Ceiling Speakers, along with some updates to existing products.

At Lithe Audio we believe innovation never sleeps, and our designers are always seeking ways to make improvements around your home.

Putting the needs of the customer before what current technology allows has put us at the forefront of innovating technology. Releasing an exciting array of products guaranteed to make your lifestyle simpler and more hassle-free.

### MULTI-AWARD WINNING



WINNER

Best New Hardware  
EMEA



FINALIST

Best New Hardware  
EMEA




*“Not just another ceiling speaker... Discover Lithe”*



### AUGMENTED REALITY

View our all-in-one ceiling speakers in your home

Simply open your phone camera and scan the QR code anywhere you see the AR logo and follow the on-screen instructions



WiFi®



Wireless Micro Sub

PRO SERIES



Pro Series

PRO SERIES



PoE Power Module




Passive Speakers





## ALL-IN-ONE SYSTEM EXPLAINED

Until now it hasn't been easy to retrofit ceiling speakers without connecting to a separate amplifier or running cables through your walls. Lithe Audio has a wireless range of ceiling speakers and garden speaker that just need power, everything else is built in.





**VIEW THE  
SPEAKERS IN  
ACTION:**

**LITHEAUDIO.COM/  
VIDEOS**

### 1. BUILT IN AMPLIFIER



### 2. BUILT IN CONNECTIVITY



### 3. BUILT IN HIGH QUALITY AUDIO



### WHY ALL-IN-ONE?

#### QUICK TO INSTALL

The all-in-one speakers draw power from your existing ceiling mains circuit or via a mains plug.

#### CONTROL FROM YOUR PHONE

All the speakers are controlled via your phone, tablet or voice assistant, making music more accessible than ever.

#### A SPEAKER FOR EVERY SPACE

We've got suitable speakers for any room, whether you want TV audio, music in the kitchen or even the bathroom or garden.

#### HIGH QUALITY AUDIO

Deliver superb sound quality with pin sharp quality using our woven glass fibre woofer cones and titanium tweeter.






# WHAT'S THE RIGHT SPEAKER FOR YOU?

## CHOOSE YOUR SYSTEM

EACH ONE OF OUR PRODUCTS COMES WITH THEIR OWN FEATURES AND BENEFITS FOR EACH SITUATION.

TYPE	CEILING	CEILING	CEILING	FLOOR
ZONES	SINGLE ZONE	MULTI ZONE	MULTI ZONE	MULTI ZONE
BLUETOOTH	✓	✓	✓	—
WORKS WITH ALEXA	✓	✓	✓	✓
WORKS WITH OK GOOGLE	✓	✓	✓	✓
WI-FI 5GHZ & 2.4GHZ	—	✓	✓	✓
AIRPLAY 2 APPLE IOS USERS	—	✓	✓	✓
CHROME CAST ANDROID USERS	—	✓	✓	✓
SPOTIFY CONNECT CONTROL FROM SPOTIFY APP	—	✓	✓	✓
DNLA /UPNP PLAY MUSIC FROM YOUR PHONE OR NAS DRIVE	—	✓	✓	✓
CONTROL 4 DRIVERS	—	✓	✓	—
CONTROL SYSTEM DRIVERS	—	✓	✓	—
WISA FOR WIRELESS HOME CINEMA	—	—	+	—
POE ++ POWER OVER ETHERNET	—	—	+	—
ETHERNET FOR HARDWIRE CONNECTION	—	—	✓	✓
POWER RATING	50W RMS (2 X 25W)	60W RMS (2X30W)	60W RMS (2X30W)	70W RMS
ADDITIONAL INPUTS	RCA	RCA	OPTICAL	



### BLUETOOTH CEILING SPEAKERS

A SINGLE ROOM SOLUTION, IDEAL FOR KITCHENS, BATHROOMS & HOTEL ROOMS



### MULTIROOM CEILING SPEAKERS

THE PERFECT SYSTEM FOR BRINGING MUSIC TO MULTIPLE ROOMS, CONTROLLABLE FROM OUR APP



### PRO MULTI-ROOM CEILING SPEAKERS

THE FEATURE RICH SPEAKER SYSTEM PERFECT FOR SMART HOME SYSTEM INTEGRATION & COMMERCIAL PROJECTS



### WIRELESS MICRO SUB WOOFER


A GREAT ADDITION IF YOU'RE LOOKING TO ADD THAT EXTRA BASS TO YOUR SYSTEM

OPTIONAL BOLT ON: +





PERFORMANCE.  
CONNECTIVITY.





# PRO SERIES LITHE PRO SERIES WIFI CEILING SPEAKER




## HIGH RESOLUTION AUDIO.

Designed explicitly to be top of the Lithe Audio integrated speaker range. This in-ceiling active offering delivers leading features such as WiSA integration for Dolby Atmos systems, PoE power delivery for the convenience of easy installation and control. Available with a comprehensive set of wireless & wired connectivity options.



## ULTIMATE CONNECTIVITY.



## CUTTING EDGE PERFORMANCE.

### WIRELESS & WIRED

Works in dual band 5GHz and 2.4GHz Wi-Fi spectrum or can be hardwired via ethernet cable for a hardwired data connection

### CRYSTAL CLEAR AUDIO

Powerful 60W RMS Class D Amplifier has been tuned to speaker cone and tweeter for use in-ceiling

### HIGH-RESOLUTION AUDIO

192kHz / 24 bits delivers superb sound quality with pin sharp clarity

### APP-BASED DSP

Calibrate and adjust the Treble, Mid and Bass individually, all from your phone

### VOICE CONTROL

Works with: Wirelessly via Alexa or Google home or Siri

### BOLT-ONS

With optional WiSA and PoE bolt-ons as well as firmware and app updates this ceiling speaker has been designed with longevity in mind



WINNER

Best New Hardware  
EMEA

### AWARD WINNING

Our Pro Series Ceiling Speakers won the Best New Hardware category in the CEDIA EMEA Awards 2020.





## WIRELESS CINEMA SOUND FOR YOUR HOME

With the Pro Series of ceiling speakers, you can create wireless Dolby 5.1, Dolby 7.1 and even Dolby Atmos when combined with our SoundSend and WiSA Bolt-On.

WiSA (Wireless Speaker and Audio) Association is the global interoperability standard across the audio industry for high definition, multi-channel, low latency audio.



### WISA CERTIFIED WIRELESS AUDIO TRANSMITTER

Stream high-resolution audio to our wireless ceiling speakers

### ADD ANY WISA CERTIFIED SPEAKER

Seamlessly cross compatible with other approved WiSA speakers

### TRANSMITS 8 CHANNELS

Eight channels of uncompressed 24-bit 48/96 kHz sound

### DECODES DOLBY DIGITAL, DOLBY DIGITAL +, DOLBY ATMOS

Automatically recognizes audio configurations from 2.0 to 7.1 to 5.1.2

### CONNECTS TO TV VIA HDMI

Connect to a TV without WiSA to easily upgrade it to home cinema

### RECEIVES AUDIO VIA ARC OVER HDMI

Supports HDMI 2.1 and 2.0, making it compatible with eARC as well as regular ARC HDMI ports



(OPTIONAL BOLT-ON)



(OPTIONAL BOLT-ON)

Our WiSA Bolt-On Module adds wireless Dolby Atmos, high-quality Audio with no visible lip-sync to our Pro Series Ceiling Speakers, perfect for fully kitted out cable-free surround sound home cinemas and beginner AV home setups.

Works with Lithe Audio Pro Series Ceiling speaker (Sold Separately)



CERTIFIED

## NO COMPROMISE IN QUALITY

### SCALABLE & SEAMLESS

Automatically recognises audio configurations from 2.0 to 7.1 and even 5.1.2

### PERFECT SYNC


All speakers in the system are certified to be synchronised within 1/1,000,000 of a second even when using all eight channels

### NEARLY ZERO LATENCY

Less than 1/10th the latency of a Bluetooth audio device means no visible lip sync

### 2X AUDIO QUALITY



WiSA transmits 24bits at 48kHz/96kHz, that's twice the quality of CD audio



## LITHE IS THE ATMOS ELEMENT TO ANY WISA SETUP




CERTIFIED



ANY WISA CERTIFIED SPEAKERS



TRANSMITS YOUR  
TV'S AUDIO SIGNAL TO  
WISA-CERTIFIED SPEAKERS



ANY TV WITH  
HDMI ARC / eARC



8 CHANNELS  
WIRELESSLY



HDMI eARC/ARC  
FOR HOME CINEMA

PLUG OR USB POWERED

OPTICAL FOR  
MUSIC STREAMS



CONTENT FROM YOUR FAVORITE  
ONLINE STREAMING SERVICE  
OR GAMES CONSOLE




## CREATE AN IN-CEILING 5.1 OR 7.1 SURROUND SOUND SYSTEM

Wirelessly connect the Pro Series Wi-Fi Ceiling Speakers to your SoundSend and configure your front, centre, rear and surround setup via the easy to use SoundSend My Zone App. Create a home cinema without wires and save space with speakers embedded into your ceiling.

Combine 3 front channel ceiling speakers, left and right surrounds, 2 rear speakers and a subwoofer for a 7.1 home cinema audio setup that will fully immerse you.

DISCOVER MORE SURROUND SETUPS:  
[LITHEAUDIO.COM/WHAT-IS-WISA](https://litheaudio.com/what-is-wisa)







(OPTIONAL BOLT-ON)

PoE ++

POE POWER DELIVERY FOR CONVENIENCE OF INSTALLATION AND CONTROL


Power directly from the network cabling infrastructure the all-in-one Pro Series uses the latest standard: IEEE 802.3bt to deliver up to 70W of power to each speaker.



PATENTED PENDING.



SPECIFICATIONS / FEATURES



Features

- Wireless & Wired Connection**  
Works in both the 5GHz and 2.4GHz Wi-Fi spectrum or can be hardwired via ethernet cable for a hardwired data connection
- All-In-One System**  
Amplifier & comprehensive connectivity options all built-in, just add power from your lighting circuit or simply plug in to socket
- High Res Audio**  
192kHz / 24 bits delivers superb sound quality with pin-sharp clarity
- Built-In AirPlay 2, Google**  
Fully Apple certified, stream any audio source directly to the speaker
- Expandable Hardware**  
Designed to grow as new technologies emerge and evolve the interchangeable hardware is upgradeable to ensure your system is at the forefront of audio connectivity
- Power via**  
PoE++ or lighting circuit or plug

SKU Codes

- 06500 Pro Wi-Fi Ceiling Speaker (Single)
- 06510 Pro Wi-Fi Ceiling Speaker (Pair)
- 06501 Pro IP44 Bathroom Wi-Fi (Single)
- 06511 Pro IP44 Bathroom Wi-Fi (Pair)

Speaker Spec

- Sound Quality THD+N<0.009%, 55Hz-20kHz (+/- 3dB)
- RMS Power: 60W RMS (2x 30W)
- Impedance: 8 Ohms nominal
- Sensitivity (1W/1m): 90dB
- Line In (Optical), auto-detecting
- Type: Class D (Digital)
- Audio Compression: 192Khz/24bits
- Woofer: 6.5" Woven Glass Fibre cone / Polypropylene Cone (IP44)
- Tweeter: 0.75" Titanium Cone
- Power Input Supply : 100 - 240V, 50/60Hz / 2A
- Power Driver Output Supply : DC24V / 2.5A
- Operating Temperature 0° to 40° C (32° to 104° F)
- Storage Temperature -20° to 70° C (4° to 158° F)
- Standby power: 1.3W / 0.02A
- Connected power: 1.5W / 0.03A
- Playing Music: 2.8W - 10.5W / 0.03A - 0.09A\*\*

- 06514 Pro Wi-Fi Ceiling Speaker With PoE (Single)
- 06515 Pro Wi-Fi Ceiling Speaker With PoE (Pair)
- 06520 PoE Adaptor Module
- 06521 WiSA Module Bolt on
- 06530 WiSA Sound Send Transmitter

Connectivity

- Wi-Fi certified 2.4Ghz / 5Ghz (802.11a/b/g/n/ac)
- Apple AirPlay 2 certified
- Google Cast certified
- Works with Alexa
- Spotify connect
- Bluetooth
- Ethernet Connection In / Out
- DLNA/uPnP connections
- Access digital music storage using NAS drive
- Works with HomeKit & Siri

What's in the box

- Pro Series Bluetooth & Wi-Fi Ceiling Speaker
- Power Driver 110V
- Instruction manual

Certification

- UL Approved
- FCC Certified

- 06512 Pro Ceiling Speaker (1 Pair) & 1 WiSA Module (Atmos .2 kit)
- 06513 Pro Ceiling Speaker (2 Pairs) & 2 WiSA Modules (Atmos .4 kit)




OPEN YOUR PHONE CAMERA & SCAN THE QR CODE FOR AUGMENTED REALITY



iOS 13+, iPadOS 13+ or Android with ARCore 1.9+ required

Dimensions



Speaker Grille: 230mm  
Depth with PoE addon: 140mm

litheaudio.com/pro-series

Visit our website or open your phone's camera and scan the QR code to visit our product page



LITHEAUDIO



Living Room ☐

Kitchen ☐

Bedroom 1 ☒

Bedroom 2 ☒

Bathroom ☐

Garden Room ☐



**MULTI-BRAND.  
MULTI-ROOM.**







# ALL-IN-ONE MULTI-ROOM CEILING SPEAKER



## MULTI-ROOM AUDIO

Our All-In-One Multi-Room Wi-Fi Ceiling Speakers combine an amplifier, wi-fi receiver, and a high-quality speaker to offer you the absolute all-in-one wireless system. They are also the only AirPlay 2 and Chromecast-certified ceiling speakers available on the market today.




### SPECIFICATIONS / FEATURES



CONNECT POWER VIA THE LIGHTING CIRCUIT  
**OR**  
SIMPLY PLUG IN



CONNECT SECOND SPEAKER WITH SPEAKER CABLE



MULTIROOM UP TO  
**30**  
WIRELESS SPEAKERS

INTEGRATES WITH SMART HOME SYSTEMS

Control4


FIBARO

LOXONE

HARDWIRE ANY DEVICE VIA THE RCA INPUT



WIRELESSLY CONNECT ANY WI-FI DEVICE





Wi-Fi

STREAM FROM A NAS DRIVE



WORKS WITH IOS, ANDROID & WINDOWS

### DIMENSIONS



OPEN YOUR PHONE CAMERA & SCAN THE QR CODE FOR AUGMENTED REALITY



iOS 13+ iPadOS 13+ or Android with ARCore 1.9+ required

#### Features

##### Multi-Room Audio

Seamlessly stream high quality audio from your phone

##### All-In-One System

Amplifier & comprehensive connectivity options all built-in, just add power from your lighting circuit or simply plug in to socket

##### Stream Via AirPlay 2, Chromecast or Bluetooth

Stream music directly from your Smart Phone / Tablet using Bluetooth or control multiple rooms at the same time with AirPlay 2 and Chromecast.

##### Amplifier Built-In

Powerful 60W RMS Class D amplifier

##### RCA Input

Hardwire a turntable, PC or your old iPod

##### Lithe Audio App

Rename, zone and adjust speakers in our intuitive app on Android and IOS

##### High Quality Audio

Delivering superb sound quality with pin sharp clarity

#### Speaker Spec

Sound Quality THD+N<0.009%, 65Hz-20kHz (+/- 3dB)

RMS Power: 60W RMS

Impedance: 8 Ohms nominal

Sensitivity (1W/1m): 90dB

Digital Class D Amplifier

Audio Sample Rate: 8Khz

Woofer: 6.5" Woven Glass Fibre cone / Polypropylene Cone (IP44)

Tweeter: 0.75" Titanium Cone

Power Input Supply : 100 - 240V, 50/60Hz / 2A

Power Driver Output Supply : DC24V / 2.5A

IP rating: IP44 (Bathroom models only)

Operating Temperature 0° to 40° C (32° to 104° F)

Storage Temperature -20° to 70° C (4° to 158° F)

#### Certification

UL Approved  
FCC Certified

#### Connectivity

App control via IOS or Android, full control with easy drag and drop zoning

Access digital music storage using NAS drive (Networked Hard Drive).

Connect to existing WiFi 2.4Ghz & 5Ghz

Apple AirPlay 2 certified

Chromecast built-in

Bluetooth

Works with Ok Google

DLNA/uPnP connections

Line in (RCA input)

Wi-Fi Certified

#### What's in the box

Wi-Fi Ceiling Speaker

Power Driver 110V

Cutting template

Instruction manual

#### SKU Codes

06600 Wi-Fi Ceiling Speaker (Single)

06610 Wi-Fi Ceiling Speaker (Pair)

06601 IP44 Bathroom Wi-Fi (Single)

06611 IP44 Bathroom Wi-Fi (Pair)

[litheaudio.com/wi-fi](https://litheaudio.com/wi-fi)

Visit our website or open your phone's camera and scan the QR code to visit our product page




LITHEAUDIO







 **Bluetooth® 5.0**





# Bluetooth® BLUETOOTH

## CEILING SPEAKER



## CEILING SPEAKERS MADE EASY

### ALL-IN-ONE SOLUTION

Amplifier & Bluetooth built-in, so all you need is power, which you can choose to connect via your lighting circuit or a plug

### 30M WIRELESS RANGE

Latest Bluetooth 5.0 technology built-in, giving you a wider range and stronger connection

### AMPLIFIER BUILT-IN

Powerful 50W RMS Class D amplifier attached to the back of the speaker

### VOICE CONTROL

Fully compatible with Amazon Echo and Google Home devices

### CONNECT TO YOUR TV

Low latency quality audio with aptX technology, giving you impressive sound from discreet speakers

## PERFECT FOR ANY SINGLE ROOM SOLUTION

Designed by Lithe Audio's team of specialist home electronic product designers, the frameless speakers only protrude 3mm from the ceiling, and have clever magnetic grille covers which can easily be removed for cleaning or for replacement with a different coloured grill finish. The grille can alternatively be painted with ceiling paint to create a virtually invisible look to these high performance speakers.

The Lithe Audio range is ideal for consumers/DIY enthusiasts, builders, developers, interior designers, commercial property developers and hotels.

**KITCHENS BATHROOMS**  
**NEW BUILDS RENOVATIONS**  
**HOTELS APARTMENTS**  
**RETAIL ELECTRICAL**  
**LODGES BEDROOMS**  
**MEETING ROOMS HOSPITALS**  
**GARDENS SHOPS**  
**RESTAURANTS OFFICES**  
**MODULAR HOMES VILLAS**

## POWER IT. SYNC IT. PLAY IT.™

Our All-in-one Wireless Bluetooth 5 Ceiling Speakers empower you to play Apple Music, Amazon Music, Spotify or any other audio streaming service from your phone. We combine an Amplifier, Bluetooth Receiver, and a High-Quality Speaker, to offer you the ideal All-in-one Solution for your property.



**30m**  
RANGE



**Qualcomm® aptX™**  
Low Latency







## FOR LARGER ROOMS

## LITHE-LINK™ CONNECT UP TO SIX SPEAKERS

For larger or open plan rooms the Lithe-link feature will allow you to connect up to 3 master speakers and their passive/slaves and play audio from all the speakers at once.

Depending on which master speaker you connect to and how the speakers are wired will then determine how many speakers will play.







# Bluetooth<sup>®</sup>


## BATHROOM RATED

CEILING SPEAKER

### IDEAL FOR BATHROOMS.

Our All-in-one Wireless IP44 Bluetooth 5 Ceiling Speakers allow you to play Apple Music, Amazon Music, Spotify or any other audio streaming service from your phone. We combine an Amplifier, Bluetooth Receiver, and a High-Quality Speaker, to offer you the ideal All-in-one Solution for your property.

**30m**  
RANGE



### SPECIFICATIONS / FEATURES

CONNECT POWER VIA THE LIGHTING CIRCUIT  
**OR**  
SIMPLY PLUG IN

CONNECT SECOND SPEAKER WITH SPEAKER CABLE

VOICE CONTROL WITH AMAZON ALEXA & GOOGLE HOME

HARDWIRE ANY NON-BLUETOOTH DEVICE VIA THE RCA INPUT

WIRELESS CONNECT A TV OR ANY BLUETOOTH DEVICE

### DIMENSIONS

230mm grille diameter

97mm ceiling depth required  
210mm hole cut out (template supplied)

AR  
OPEN YOUR PHONE CAMERA & SCAN THE QR CODE FOR AUGMENTED REALITY

iOS 13+, iPADOS 13+ or Android with ARCore 1.9+ required

Features	Speaker Spec	Connectivity
<b>30m Wireless Range</b> Latest Bluetooth 5.0 technology built-in	Sound Quality THD+N<0.009%, 55Hz-20kHz (+/- 3dB)	Bluetooth 5.0 (30m range)
<b>All-In-One Solution</b> Amplifier & Bluetooth built-in, so all you need is power	RMS Power: 50W RMS	Works with Ok Google
<b>30m Wireless Range</b> Latest Bluetooth 5.0 technology built-in	Impedance: 8 Ohms nominal	Works with Alexa
<b>Amplifier Built-In</b> Powerful 50w rms class d amplifier	Sensitivity (1W/1m): 90dB	Line in (RCA input)
<b>Voice Control With Alexa Or Google</b> Fully compatible with amazon echo and google home devices	Digital Class D Amplifier	Qualcomm aptX Low Latency
<b>Connect To Your TV Via Bluetooth</b> Low latency quality audio with aptx technology	Audio Sample Rate: 8KHz	Bluetooth Setup App for Android and IOS
<b>RCA Input</b> Hardwire a turntable, pc or your old iPod	Woofer: 6.5" Woven Glass Fibre cone / Polypropylene Cone (IP44)	
<b>Rename Each Speaker</b> Use the lithe setup app to configure your speakers	Tweeter: 0.75" Titanium Cone	
<b>High-Quality Audio</b> Delivering superb sound quality with pin sharp clarity	Power Input Supply : 100 - 240V, 50/60Hz / 2A	
	Transformer Output Supply : DC24V / 2.5A	
	IP rating: IP44 (Bathroom models only)	
	Operating Temperature 0° to 40° C (32° to 104° F)	
	Storage Temperature -20° to 70° C (4° to 158° F)	
	<b>Certification</b> UL Approved FCC Certified	<b>What's in the box</b> Bluetooth Ceiling Speaker Power Driver 110V Cutting template Instruction manual
<b>SKU Codes</b>		
03200 Bluetooth Ceiling Speaker (Single)	03202 Bluetooth 4 Speaker 1 Zone Kit (2 Masters, 2 Passives & Link Cables)	
03201 Bluetooth Ceiling Speaker (Pair)	03203 Bluetooth 6 Speaker 1 Zone Kit (3 Masters, 3 Passives & Link Cables)	
03210 IP44 Bathroom Bluetooth (Single)		
03211 IP44 Bathroom Bluetooth (Pair)		

litheaudio.com/bluetooth

Visit our website or open your phone's camera and scan the QR code to visit our product page





# PASSIVE

## CEILING SPEAKERS




## SUPERB AUDIO COVERAGE

To fill the room with sound, choose our passive ceiling speaker models for superb audio coverage.

If you want the perfect audio solution for a large space, our 2-way passive speaker will provide the ultimate accessory for your existing Lithe Audio ceiling speakers or any countertop amplifier.


Easy to fit, and even easier to blend with your decor, our speakers deliver high quality audio for your home.



### 6.5" 2-Way Ceiling Speaker

01556 (Single)

01555 (Pair)



### Speaker Spec

Woofer: 6.5" Woven Glass Fibre Cone

Tweeter: 0.75" Titanium Dome

Impedance: 8 Ohms

Sound Quality 55Hz-20kHz

Sensitivity (1W/1m): 90dB

Dimensions: (W x D) 227 x 87 mm


Cut Out Diameter: 210 mm

Mounting Depth: 87 mm

### 6.5" 2-Way IP44 Ceiling Speaker

01556 (Single)

01555 (Pair)



### Speaker Spec

Woofer: 6.5" Polypropylene Cone

Tweeter: 0.75" Titanium Dome

Impedance: 8 Ohms

Sound Quality 55Hz-20kHz

Sensitivity (1W/1m): 90dB

Dimensions: (W x D) 227 x 87 mm

Cut Out Diameter: 210 mm

Mounting Depth: 87 mm

### 6.5" Low Profile Passive Ceiling Speaker

01568 (Single)



### Speaker Spec

Woofer: 6.5" Polypropylene Cone

Tweeter: 0.75" Titanium Dome

Impedance: 8 Ohms

Sound Quality 77Hz-20kHz

Sensitivity (1W/1m): 90dB

Dimensions: (W x D) 230 x 67 mm

Cut Out Diameter: 210 mm

Mounting Depth: 67 mm

### 3" Spot Ceiling Speaker

01553 (Single)



### Speaker Spec

Woofer: 3" Woven Glass Fibre Cone

Tweeter: 0.75" Mylar Dome

Impedance: 8 Ohms

Sound Quality 130Hz-20kHz

Sensitivity (1W/1m): 90dB

Dimensions: (W x D) 116 x 58 mm

Cut Out Diameter: 100 mm

Mounting Depth: 60 mm

### 6.5" Stereo Ceiling Speaker

01554 (Single)



### Speaker Spec

Woofer: 6.5" Woven Glass Fibre Cone

Dual Tweeters: 0.75" Titanium Domes

Impedance: 8 + 8 Ohms

Sound Quality 55Hz-20kHz

Sensitivity (1W/1m): 90dB

Dimensions: (W x D) 227 x 87 mm

Cut Out Diameter: 210 mm

Mounting Depth: 87 mm

[litheaudio.com/passive](https://litheaudio.com/passive)

Visit our website or open your phone's camera and scan the QR code to visit our product page



LITHEAUDIO



# GARDEN ROCK

OUTDOOR SPEAKER



## PLACE IT. PLUG IT. ROCK IT.™



This unique outdoor entertainment hack is the must-have audio solution for listening to music outdoors. Shaped like a rock, these speakers are designed to fit in seamlessly with the rest of your garden. Completely weatherproof, these units deliver superbly rich audio all year round, and are the ultimate garden accessory.



### SPECIFICATIONS / FEATURES



### BLUETOOTH & PASSIVE MODELS AVAILABLE



Features	Speaker Spec	Connectivity
<b>Easy Installation</b> Just Plug Into Outdoor Socket	Sound Quality THD+N 0.009%, 65Hz-20kHz	Works with any Bluetooth v4.0 device
<b>Bluetooth Receive And Speaker</b> All In One Audio Solution	RMS Power: 60W RMS	Works with Google and Alexa devices
<b>65Hz-20kHz Speaker Range</b> Powerful Bass And Crisp Treble	Impedance: 8 Ohms nominal	Wireless Range: Up to 10 metres
<b>Sleek Design</b> Blends Perfectly With Your Exterior	Sensitivity (1W/1m): 90dB	Output for additional Passive slave speaker
<b>Voice Control</b> Connect To Your Google Or Alexa Devices For Hands-free	Digital Class D Amplifier	
<b>Wireless Range Up To 10 Metres</b> Control Your Tunes From Another Room	Audio Sample Rate: 8Khz	
	Woofer: 6.5" Polypropylene Cone	
	Tweeter: 1.2" Mylar Cone	
	IP68 Outdoor Transformer Unit	
	Weather-Proof IP56 Fibreglass Housing	
	Stone Colour Finish	
	Weight: 6.8kg	
	Power Supply: DC24V / 2.5A	
	Dimensions: (W x D) 320 x 320 x 270 mm	
	Operating Temperature: -20° to 85° C	
	Limited Warranty: 2 Year	
		<b>Certification</b>
		CE Approved FCC Certified
		<b>What's in the box</b>
		Bluetooth Garden Rock Speaker
		Power Supply
		Cutting template
		Instruction manual
<b>SKU Codes</b>		
<b>Bluetooth</b>	<b>Passive</b>	
<b>01620</b> Lithe Audio Bluetooth Garden Rock Speaker (Single)	<b>01621</b> Lithe Audio Passive Garden Rock Speaker (Single)	<b>01640</b> Lithe Audio 5M Power Cable Extension For Garden Speaker
<b>01622</b> Lithe Audio Bluetooth & Passive Garden Rock Speakers (Pair)	<b>01623</b> Lithe Audio Passive Garden Rock Speakers (Pair)	<b>01643</b> Lithe Audio 10M Speaker Cable Extension For Garden Speaker

[litheaudio.com/garden-speakers](https://litheaudio.com/garden-speakers)

Visit our website or open your phone's camera and scan the QR code to visit our product page



LITHEAUDIO




# ACCESSORIES

## & SPARES


Round Speaker Grille

01581



Square Speaker Grille

01587



3.5mm Jack Ground Loop Isolator

01589



Crystal RCA Volume Controller

01781 White PG  
01783 Black PG



Boutique Volume Controller

01513 100V  
01514 4-8 Ohms



RCA Ground Loop Isolator

01276



10m Shielded Cable 3.5mm Jack to Jack

01271



10m Shielded Cable Phono to Jack

01255



10m Cable Phono to Phono

01255



Speaker Cable 18GA

01599 10m  
01580 5m



Ceiling Speaker 50' Power Cable Extension

01607 50'



## CONTACT US FOR PRODUCT ADVICE

Not sure which of our speaker ranges to choose from, or just struggling to work out how to get the best sound through strategic speaker placement?

Contact us via email and our product experts will guide you to select the right product for your project

LITHEAUDIO.COM/  
SPEAKER-PLACEMENT

SUPPORT@  
LITHEAUDIO.COM



[litheaudio.com/spares-and-accessories](https://litheaudio.com/spares-and-accessories)

Visit our website or open your phone's camera and scan the QR code to visit our product page

LITHEAUDIO



# LITHEAUDIO<sup>®</sup>

POWER IT. SYNC IT. PLAY IT.™



[WWW.LITHEAUDIO.COM](http://WWW.LITHEAUDIO.COM)

[sales@litheaudio.com](mailto:sales@litheaudio.com) | Live Chat | Tel : +44 (0) 1293 922 015

